



DRAFT

Rail Industry Guidance Note
GMGN2694 | Issue One | September 2024 | Draft 1k

Guidance Note on Rolling Stock Electromagnetic Compatibility with Trackside CCS Subsystems

This document gives guidance on achieving rolling stock electromagnetic compatibility with control, command and signalling (CCS) subsystems, through supporting electromagnetic compatibility (EMC). It includes the methodology for the calculation of a transfer function for determining the impact of rolling stock line current on lineside copper cables as well as guidance on how to apply other EMC related standards from a rolling stock perspective.

Guidance Note on Rolling Stock Electromagnetic Compatibility with Trackside CCS Subsystems

Synopsis

This document gives guidance on achieving rolling stock electromagnetic compatibility with control, command and signalling (CCS) subsystems, through supporting electromagnetic compatibility (EMC). It includes the methodology for the calculation of a transfer function for determining the impact of rolling stock line current on lineside copper cables as well as guidance on how to apply other EMC related standards from a rolling stock perspective.

Copyright in the Railway Group documents is owned by Rail Safety and Standards Board Limited. All rights are hereby reserved. No Railway Group document (in whole or in part) may be reproduced, stored in a retrieval system, or transmitted, in any form or means, without the prior written permission of Rail Safety and Standards Board Limited, or as expressly permitted by law.

RSSB members are granted copyright licence in accordance with the Constitution Agreement relating to Rail Safety and Standards Board Limited.

In circumstances where Rail Safety and Standards Board Limited has granted a particular person or organisation permission to copy extracts from Railway Group documents, Rail Safety and Standards Board Limited accepts no responsibility for, nor any liability in connection with, the use of such extracts, or any claims arising therefrom. This disclaimer applies to all forms of media in which extracts from Railway Group documents may be reproduced.

Published by RSSB

Guidance Note on Rolling Stock Electromagnetic Compatibility with Trackside CCS Subsystems

Issue record

Issue	Date	Comments
One	September 2024 [proposed]	Original document.

Supply

The authoritative version of this document is available at www.rssb.co.uk/standards-catalogue. Enquiries on this document can be submitted through the RSSB Customer Self-Service Portal <https://customer-portal.rssb.co.uk/>

Guidance Note on Rolling Stock Electromagnetic Compatibility with Trackside CCS Subsystems

Rail Industry Guidance
Note
GMGN2694
Issue: One Draft: 1k
Date: September 2024

Contents

Section	Description	Page
Part 1	Purpose and introduction	6
G1.1	Purpose	6
G1.2	Background	6
G1.3	User's responsibilities	6
G1.4	Structure of this document	7
G1.5	Approval and authorisation of this document	7
Part 2	EMC with trackside copper cables	8
G2.1	Introduction	8
G2.2	Methodology for the calculation of transfer functions between the train current and transverse voltage of lineside copper cables	8
G2.3	Typical scenarios and transfer functions	13
G2.4	Application of the transfer function to different systems	17
Part 3	Guidance on EMC to other CCS trackside subsystems	21
G3.1	General	21
G3.2	Compatibility with track circuits	21
G3.3	Level crossing predictors	25
G3.4	Automatic Warning System (AWS)	27
G3.5	Train Protection and Warning System (TPWS)	27
G3.6	Axle counters	28
G3.7	Lineside equipment	28
G3.8	Route relay and solid state interlocking	28
Appendices		30
Appendix A	Psophometric weighting curve	30
Appendix B	Level crossing predictor locations	32
Definitions		33
References		37

List of Figures

Figure 1: FEMM simulation exposure length	10
Figure 2: 25 kV ac electrification double track cross-section with single rail return	11
Figure 3: 25 kV ac electrification double track cross-section with booster or earth return	12
Figure 4: 750 V dc electrification double track cross-section	12
Figure 5: Graph of FEMM transfer function values for cables with a complete twist of one metre	14
Figure 6: Graph of FEMM transfer function values for cables with a complete twist of ten metres	15
Figure 7: Graph of FEMM transfer function values for cables with a complete twist of thirty metres	16
Figure 8: Level crossing predictor arrangement	26
Figure 9: Graphical representation of the psophometric weighting curve	31

List of Tables

Table 1: Dimension assumptions used for a classic 25 kV ac electrification double track section with a booster or earth wire	13
Table 2: Calculated FEMM transfer function values for cables with a complete twist of one metre (Volt-Ampere)	14
Table 3: Calculated FEMM transfer function values for cables with a complete twist of ten metres (Volt-Ampere)	15
Table 4: Calculated FEMM transfer function values for cables with a complete twist of thirty metres (Volt-Ampere)	16
Table 5: Psophometric weighting curve values	30

Part 1 Purpose and introduction

G1.1 Purpose

- G1.1.1 This document gives guidance on electromagnetic compatibility (EMC) between rolling stock and some control, command and signalling (CCS) trackside subsystems. This document does not set out requirements and nor does it give guidance on touch potentials that may give rise to danger or compatibility between trains and electrification subsystems, other trains or neighbouring railways.

G1.2 Background

- G1.2.1 Due to rolling stock drawing current from the electrification system, inductive coupling occurs to lineside electronic systems that are sensitive to electromagnetic interference (EMI) and connected to copper cables.
- G1.2.2 The BS EN 50121 series of standards sets out requirements for EMC limits to a range of systems and BS EN 50121-4:2016+A1:2019 specifically for emissions and immunity of the signalling and telecommunications apparatus. However, none of the standards in the series cover inductive coupling and BS EN 50121-4:2016+A1:2019 is for CCS suppliers, rather than designers of rolling stock vehicles and equipment.
- G1.2.3 Guidance is given in this document on electromagnetic compatibility (EMC) including on where inductive coupling occurs between the current drawn by an electric train and control, command and signalling (CCS) trackside subsystems. It does not include guidance for EMC between multiple electric trains and a CCS trackside subsystem where the trains are operating in the same feeding section / area. Guidance for other methods of electromagnetic coupling, such as capacitive, conducted and radiated, are included in this guidance note, however the transfer function given in part two is for inductive coupling only.

G1.3 User's responsibilities

- G1.3.1 Industry experts representing railway industry stakeholders are involved in the process for settling the content of documents which are prepared in accordance with the procedures set out in the Railway Standards Code and Manual.
- G1.3.2 Users of documents published by RSSB are expected to be competent or should take specialist advice before following or applying any practices or principles contained within them and are reminded of the need to consider their own responsibilities to ensure safe systems of work and operation, health and safety at work and compliance with their own duties under health and safety legislation. While documents published by RSSB can be used to help inform and devise safe practices and systems of work, their content has not been designed or prepared for:
- a) reliance by any specific person or organisation;
 - b) application or use in all possible operational or working environments.
- G1.3.3 No representation, warranty, guarantee, confirmation or other assurance is given or made (whether expressly or implicitly) that compliance with all or any documents

Guidance Note on Rolling Stock Electromagnetic Compatibility with Trackside CCS Subsystems

Rail Industry Guidance
Note
GMGN2694
Issue: One Draft: 1k
Date: September 2024

published by RSSB is sufficient in itself to ensure safe systems of work or operation or to satisfy such responsibilities or duties.

- G1.3.4 Users and duty holders remain responsible at all times for assessing the suitability, adequacy and extent of any measures they choose to implement or adopt and RSSB does not accept, and expressly disclaims, all and any liability and responsibility except for any liability which cannot legally be limited.

G1.4 Structure of this document

- G1.4.1 Guidance is provided as a series of sequentially numbered clauses.

G1.5 Approval and authorisation of this document

- G1.5.1 The content of this document will be approved by Rolling Stock Standards Committee on 13 June 2024 [proposed].
- G1.5.2 This document will be authorised by RSSB on 14 August 2024 [proposed].

Part 2 EMC with trackside copper cables

G2.1 Introduction

Guidance

- G 2.1.1 Copper cables adjacent to the GB mainline railway are used to transmit signals between two components of a system, including audio transmissions. Electromagnetic interference can affect analogue and frequency selective systems in different ways.
- G 2.1.2 For analogue audio, interference typically manifests as noise, an unwanted sound that can be disruptive to the listener.
- G 2.1.3 For frequency selective systems, as the individual elements of the signal may be considered to be 'on' or 'off', interference typically manifests at the receiver as either no signal being received, or a signal that is considered distorted or broken up. Frequency selective systems include digital systems as well as analogue systems which operate based on a specific received frequency.
- G 2.1.4 Alternating current (ac) in the overhead contact line (OCL) and return circuit, or the ac content in the third rail and return circuit on direct current (dc) electrified railways, results in a voltage being induced into lineside copper cables. The voltage measured along a single cable from end-to-end is the longitudinal voltage, whereas the transverse voltage is the voltage between a pair of wires laid alongside the track.
- G 2.1.5 On the introduction of a train to a route, rolling stock interference can be measured at the lineside as longitudinal and transverse voltage on a representative copper cable pair along the route; however, it is efficient for the train manufacturer to have an equivalent line current limit. This limit gives assurance that there is no significant interference with lineside copper cables and can be measured at the train rather than at the lineside. Establishing this limit is the objective of part two of this guidance note.
- G 2.1.6 Induced interference from the current drawn by rolling stock to lineside cabling can be evaluated using a transfer function, which takes into account the known sensitivity of the lineside infrastructure system, hereafter referred to as the affected system. The transfer function given in this guidance note has been devised for the frequency range 50 Hz to 20 kHz.

G2.2 Methodology for the calculation of transfer functions between the train current and transverse voltage of lineside copper cables

- G2.2.1 This section gives guidance on the methodology for the calculation of transfer functions between rolling stock line current and the transverse voltage of lineside copper cables using simulation software. Further guidance on the application of the methodology is given in [G2.4.2](#) and [G2.4.3](#).
- G2.2.2 The methodology for the transfer function given is applicable to cables connected to analogue and frequency selective systems.
- G2.2.3 Transverse voltage, $V_{\text{transv}}(f)$, is an inductive voltage between a pair of affected wires that is caused by ac traction current in the overhead line and return circuit.

G2.2.4 The transfer function, $\beta(f)$, between $V_{transv}(f)$ and the train current, $I_{train}(f)$, can be modelled by injecting a fixed current value, such as 1 ampere, at respective frequencies into the relevant parts of the electrification system conductors, for example the overhead contact line and running rails. The induced voltage, $V_{long}(f)$, in each wire of a copper cable pair can be calculated or simulated during such scenarios over a fixed distance with the following assumptions considered:

- a) The copper cable pair and the respective electrification system conductors conducting the train current are installed in parallel over the whole calculated distance; and
- b) The copper cable pair are also parallel to each other, with some separation between them, over the whole calculated distance.

G2.2.5 The induced voltage in each wire will be different due to the difference in magnetic flux over each of them that occurs due to them being a different distance from a source. The absolute difference between the longitudinal voltage, V_{long} , in wire 1 and wire 2 will determine the resulting transverse voltage given in [Equation One](#) and as shown in [Figure 1](#).

$$V_{transv}(f) = |V_{long_w1}(f) - V_{long_w2}(f)| \quad [Equation \ one]$$

G2.2.6 The methodology given in [G2.2.3](#) to [G2.2.5](#) can be implemented using various software packages. The method description, examples and results provided in this guidance note were performed using Finite Element Method Magnetics (FEMM) v4.2 software.




Figure 1: FEMM simulation exposure length

- G2.2.7 Dimensions that can be used for modeling a simulation exposure length are set out in:
- GLRT1210 for OCL height
 - GLRT1212 for dc conductor rail geometry
 - Infrastructure (INF) National Technical Specification Notice (NTSN) for the nominal track gauge
 - INF NTSN specific case for the distance between track centres.
- G2.2.8 A FEMM model of a typical 25 kV ac electrified double track cross-section is given in [Figure 2](#) where only one steel rail was used as the return circuit for the required calculations. The copper overhead contact line acted as the positive source and the affected wires were made of copper, and the earth and air were areas of the model transparent to magnetic flux with a relative permeability of one.




Figure 2: 25 kV ac electrification double track cross-section with single rail return

G2.2.9 A classic 25 kV ac electrification double track section with a booster or earth return wire that was used for modelling is given in [Figure 3](#).




Figure 3: 25 kV ac electrification double track cross-section with booster or earth return

- G2.2.10 For dc railways, the transfer function can be calculated using the same methodology as given in [G2.2.3](#) to [G2.2.5](#) but using a suitably adopted cross-section geometry of the electrification system conductors.
- G2.2.11 An example of a two-track 750 V dc electrified double track cross-section is shown in [Figure 3](#). Due to the conductor rail on dc railways being placed adjacent to the running rails, it is important to define where the copper cables are placed. The distance from the dc conductor rail to a pair of wires connected to reed frequency division multiplex (FDM) systems is given in Network Rail standard NR/GN/SIG/50015, and for axle counter data links in NR/SP/SIG/50011.




Figure 4: 750 V dc electrification double track cross-section

G2.3 Typical scenarios and transfer functions

Guidance

- G 2.3.1 This section includes the scenarios used to model the outcome of the transfer function. The scenarios were chosen as they were considered to be representative of a range of cases on the network.
- G 2.3.2 The dimensions in [Table 1](#) were used to perform the modelling given in this section for a classic 25 kV ac electrification double track section with a booster or earth wire as shown in [Figure 3](#). Additionally:
- a) The scenarios included the rail return (RR) and booster return (BR) arrangements; and
 - b) The scenarios included a copper cable pair with and without parallel screening conductors (SC); and
 - c) Only twisted pair copper cables were used, with scenarios including one, ten and thirty metre complete twist lengths.

Feature	Dimension
Distance from OCL to the return / booster conductor	1 m
Distance from pair of trackside copper cables to closest running rail	1.3 m
Distance between the pair of copper cables	1 mm

Table 1: Dimension assumptions used for a classic 25 kV ac electrification double track section with a booster or earth wire

- G 2.3.3 Systems with copper cable pairs that have shorter twist lengths are impacted less by inductive coupling due to the close wire twists cancelling out interference.
- G 2.3.4 [Table 2](#) and [Figure 5](#) give the FEMM calculated transfer functions $V_{\text{transv}} / I_{\text{train}}$ (V/A) for cables with a maximum exposure length of one metre given by one complete twist.

Frequency (Hz)	FEMM_RR_SC	FEMM_BR_SC	FEMM_BR	FEMM_RR
50	2.98×10^{-7}	1.64×10^{-7}	8.62×10^{-8}	8.18×10^{-8}
100	6.67×10^{-7}	3.71×10^{-7}	1.02×10^{-7}	1.72×10^{-7}
200	1.36×10^{-6}	7.64×10^{-7}	1.51×10^{-7}	3.43×10^{-7}
300	2.05×10^{-6}	1.15×10^{-6}	2.08×10^{-7}	5.11×10^{-7}
400	2.73×10^{-6}	1.54×10^{-6}	2.68×10^{-7}	6.79×10^{-7}
500	3.41×10^{-6}	1.92×10^{-6}	3.29×10^{-7}	8.48×10^{-7}
1000	6.85×10^{-6}	3.86×10^{-6}	6.43×10^{-7}	1.70×10^{-6}
10000	6.95×10^{-5}	3.93×10^{-5}	6.36×10^{-6}	1.73×10^{-5}
20000	1.39×10^{-4}	7.85×10^{-5}	1.27×10^{-5}	3.46×10^{-5}

Table 2: Calculated FEMM transfer function values for cables with a complete twist of one metre (Volt-Ampere)




Figure 5: Graph of FEMM transfer function values for cables with a complete twist of one metre

G 2.3.5 The transfer functions that are given for ten and thirty metre twists are proportionate to the one metre case, for example, the values given in [Table 2](#) are multiplied by ten to provide the values given in [Table 3](#), by thirty to give the values in [Table 4](#). This

Guidance Note on Rolling Stock Electromagnetic Compatibility with Trackside CCS Subsystems

Rail Industry Guidance
Note
GMGN2694
Issue: One Draft: 1k
Date: September 2024

means that the transfer function given is scalable to all twist lengths above one metre.

G 2.3.6 [Table 3](#) and [Figure 6](#) give the FEMM calculated transfer functions V/A for cables with a complete twist of ten metres.

Frequency (Hz)	FEMM_RR_SC	FEMM_BR_SC	FEMM_BR	FEMM_RR
50	2.98×10^{-6}	1.64×10^{-6}	8.62×10^{-7}	8.18×10^{-7}
100	6.67×10^{-6}	3.71×10^{-6}	1.02×10^{-6}	1.72×10^{-6}
200	1.36×10^{-5}	7.64×10^{-6}	1.51×10^{-6}	3.43×10^{-6}
300	2.05×10^{-5}	1.15×10^{-5}	2.08×10^{-6}	5.11×10^{-6}
400	2.73×10^{-5}	1.54×10^{-5}	2.68×10^{-6}	6.79×10^{-6}
500	3.41×10^{-5}	1.92×10^{-5}	3.29×10^{-6}	8.48×10^{-6}
1000	6.85×10^{-5}	3.86×10^{-5}	6.43×10^{-6}	1.70×10^{-5}
10000	6.95×10^{-4}	3.93×10^{-4}	6.36×10^{-5}	1.73×10^{-4}
20000	1.39×10^{-3}	7.85×10^{-4}	1.27×10^{-4}	3.46×10^{-4}

Table 3: Calculated FEMM transfer function values for cables with a complete twist of ten metres (Volt-Ampere)




Figure 6: Graph of FEMM transfer function values for cables with a complete twist of ten metres

G 2.3.7 [Table 4](#) and [Figure 7](#) give the FEMM calculated transfer functions V/A for cables with a complete twist of thirty metres.

Frequency (Hz)	FEMM_RR_SC	FEMM_BR_SC	FEMM_BR	FEMM_RR
50	8.94×10^{-6}	4.92×10^{-6}	2.59×10^{-6}	2.45×10^{-6}
100	2.00×10^{-5}	1.11×10^{-5}	3.07×10^{-6}	5.15×10^{-6}
200	4.09×10^{-5}	2.29×10^{-5}	4.52×10^{-6}	1.03×10^{-5}
300	6.14×10^{-5}	3.45×10^{-5}	6.23×10^{-6}	1.53×10^{-5}
400	8.19×10^{-5}	4.61×10^{-5}	8.03×10^{-6}	2.04×10^{-5}
500	1.02×10^{-4}	5.77×10^{-5}	9.88×10^{-6}	2.54×10^{-5}
1000	2.05×10^{-4}	1.16×10^{-4}	1.93×10^{-5}	5.10×10^{-5}
10000	2.09×10^{-3}	1.18×10^{-3}	1.91×10^{-4}	5.18×10^{-4}
20000	4.18×10^{-3}	2.36×10^{-3}	3.80×10^{-4}	1.04×10^{-3}

Table 4: Calculated FEMM transfer function values for cables with a complete twist of thirty metres (Volt-Ampere)




Figure 7: Graph of FEMM transfer function values for cables with a complete twist of thirty metres

G 2.3.8 The simulated transfer functions given in [G 2.3.4](#) to [G 2.3.7](#) were validated against measured data at various points of the 25 kV ac electrified railway in GB. The simulated transfer functions nearest to the measured data were:

- a) FEMM_RR_SC with a thirty metre twist; and
- b) FEMM_BR with a thirty metre twist.

The other transfer functions for RR and BR systems have not been validated for measured data.

G 2.3.9 The typical scenarios presented in Tables 2 to 4 and the graphs in Figures 5 to 7 show a consistent pattern of the transfer functions against harmonic frequencies. The model used only considers inductive effects so shows a linear increase in transfer function with frequency, so that higher frequency interference currents would produce proportionately higher voltages on lineside cables. In practice this will not necessarily be the case because other effects not included in the model, such as cable capacitance, will tend to reduce the transfer function as frequency rises.

G2.4 Application of the transfer function to different systems

G2.4.1 General

Guidance

G 2.4.1.1 Voice analogue telecoms, which on the railway is lineside telecoms, transmits voice in the broad frequency range, usually 50 Hz to 5 kHz, and the level of contribution of interference depends on the frequency.

G 2.4.1.2 The application of the psophometric weighting curve, which expresses sensitivity of a human ear to the frequency of sound, amplifies the interference in the broad frequency range and indicates whether the voice analogue telecoms system, which includes signal post and level crossing telephones, may become unintelligible should it be subjected to interference voltages, either longitudinal or transverse.

G 2.4.1.3 Values for the psophometric weighting curve, $P_s(f)$, are provided in [Appendix A](#).

G 2.4.1.4 For higher frequencies, typically those at around 3 kHz and above, the application of the psophometric weighting curve to calculate values can result in interference being masked where the lineside copper cables are connected to frequency selective systems. The psophometric weighting curve is not used to determine the effect of interference on frequency selective systems.

G2.4.2 Analogue systems

G2.4.2.1 Application of the psophometric weighting curve

Guidance

G 2.4.2.1.1 The total emission on analogue telecommunication, V_{ta} , can be established using [Equation Two](#) where 1 mV is the analogue system weighted limit adopted for any analogue telecommunication.

G 2.4.2.1.2 As the psophometric weighting factor has a wide frequency range, it is not possible to establish the frequency dependent train current limit for compliance with analogue telecoms systems; instead, equation two for a given train current harmonic profile is used to check if the train meets the 1 mV limit as set out in Network Rail standard NR/SP/TEL/50016.

G 2.4.2.1.3 [Equation Two](#) represents the effect on analogue telecoms for which a psophometric weighting curve can be used. $\alpha(f)$ can be calculated as the transfer function $\beta = V_t / I$ multiplied by the psophometric weighting curve, as given in [Equation Three](#). The limit of 6 kHz is the limit of the psophometric weighting curve.

$$V_{ta} = \sqrt{\sum_{f=50}^{6000} [I_{train}(f)\alpha(f)]^2} < 1 \text{ mV} \quad [\text{Equation two}]$$

Where:

$I_{train}(f)$ = train current at frequency f ; and

$\alpha(f)$ = weighted factor for train current and frequency f

$$\alpha(f) = \beta(f) \times Ps(f) \quad [\text{Equation three}]$$

Where:

$\beta(f)$ = the transfer function between $V_{transv}(f)$, and $I_{train}(f)$, expressed as $\beta(f) = V_{transv}(f) / I_{train}(f)$

G 2.4.2.1.4 V_{transv} is the transverse voltage on the analogue telecoms pair induced from the train current, I_{train} .

G 2.4.2.1.5 The transfer function for analogue telecoms, $\beta(f)$, can be established by modelling a section of the railway.

G 2.4.2.1.6 Emergency signalling power supplies can be interfered with if trains draw more than the permitted line current when the signalling supply is connected to the traction power supply, which can result in signalling system undervoltages and a loss of supply, or the maloperation of telecoms equipment if it is operating from an emergency supply. Exceeding psophometric current values at any frequency, which are limits for whether a vehicle is compatible with CCS trackside subsystems, can result in vehicles failing type-tests.

G2.4.3 Frequency selective systems

G2.4.3.1 V_t susceptibility limits

Guidance

G 2.4.3.1.1 Susceptibility limits of CCS trackside subsystems are typically calculated at their receivers and therefore may not take into consideration the effect of transverse voltages that exist in lineside copper cables that connect them and the impact these can have on system operation.

G 2.4.3.1.2 Line current limits for rolling stock EMC with CCS trackside subsystems are well documented; however, there are few known transverse voltage limits for copper cabling associated with CCS trackside subsystems.

G2.4.3.2 Train current calculation for EMC with different arrangements of copper cables

Guidance

G 2.4.3.2.1 Using the transfer function $\beta = V_t / I$, and knowing the susceptibility limit of the system, $V_{tlim}(f)$, the train current limit curve, $I_{tlim}(f)$, for a frequency selective system can be established, as given by [Equation Four](#).

$$I_{tlim}(f) = V_{tlim}(f) / \beta(f) \quad [Equation \text{ four}]$$

G 2.4.3.2.2 If the susceptibility limit of the system is unknown, it can be established by multiplying $I_{train}(f)$ and β , as given by [Equation Five](#).

$$V_{tlim}(f) = I_{train}(f) \times \beta(f) \quad [Equation \text{ five}]$$

G 2.4.3.2.3 If sensitivity in terms of the transverse voltage limits, $V_{tsel}(f)$, across the pair at the operating frequency band of the frequency selective system is known, to establish the train current limit for EMC with frequency selective systems, the approach is different to analogue systems given in [G 2.4.2.1.3](#), and is described as:

$$I_{train}(f) = V_{tsel}(f) / \beta(f) \quad [Equation \text{ six}]$$

G 2.4.3.2.4 Unlike analogue telecoms systems, frequency selective systems:

- Are only affected by specific frequencies or a frequency range at which the receiver operates; and
- Have specific $V_{tlim}(f)$ values at respective frequency bands which are established for each system.

G 2.4.3.2.5 The resultant transverse voltage across the frequency selective system pair, $V_{tfs}(f)$, can be established as:

$$V_{tfs}(f) = \beta(f) \times I_{train}(f) \quad [Equation \text{ seven}]$$

G 2.4.3.2.6 The transfer function for the frequency selective system, $\beta(f)$, can be established by using the modelling of the section of the railway in the same way as is performed for analogue systems.

G2.4.3.3 Train current calculation for EMC with certain frequency selective systems' copper cables

G2.4.3.3.1 Solid state interlocking (SSI)

Guidance

G 2.4.3.3.1.1 Solid state interlocking (SSI) trackside data links (TDL) use a spectrum centred on 10 kHz, which is broadened by normal messages resulting in an operating

frequency range of 1 kHz to 20 kHz. Interference by induced currents to SSI TDLs can be determined by measuring the unweighted traction current. Although SSI TDLs have features that mitigate traction interference, such as complex messaging and two levels of coding, the system remains susceptible. However, the limits are undefined as the system typically fails as a result of numerous message send and receive errors rather than due to voltage limits.

- G
2.4.3.3.1.2 BS EN 50121-3-1:2017+A1:2019 sets out requirements and guidance for determining interference at frequencies that overlap with the SSI operating range; however, the method of electromagnetic coupling in BS EN 50121-3-1:2017+A1:2019 standard includes conductive, capacitive or radiated and does not consider inductive coupling which is covered in part 2 of this guidance note.

G2.4.3.3.2 Reed frequency division multiplexing (FDM)

Guidance

- G
2.4.3.3.2.1 FDM is a method where the total available bandwidth of a communication medium is split into separate frequency channels with each channel carrying its own signal. The use of FDM permits the exploitation of a single communication medium, such as a copper cable, to send multiple signals with different information.
- G
2.4.3.3.2.2 An independent transmitter generates an ac signal at the frequency allocated to each channel and an individual receiver detects the frequency for each channel. Discrete channels are typically chosen within a range to avoid supply frequency harmonics.
- G
2.4.3.3.2.3 Two types of reed FDM systems are in use in GB - vital and non-vital. Vital reed FDM systems are used for the control and indication of safety critical functions between an interlocking and trackside signalling equipment and typically use twisted pair cabling as a communication medium. Non-vital reed FDM systems have a similar design to the vital systems but can include equipment which does not fail safe and may also use multicore cabling.
- G
2.4.3.3.2.4 The transmitter and receiver in reed FDM systems consist of a reed filter and an amplifier. The reed filter is a high-q band-pass filter, which passes only the frequency allocated to each channel and excludes all others with a nominal bandwidth of ± 0.5 Hz. The selectivity of the reed filters is such that the system can be operated with frequencies as close as 4 Hz, permitting the accommodation of a large number of channels within a small range of frequencies.
- G
2.4.3.3.2.5 For reed FDM remote control systems, the frequencies used for transmission are broadly in the range from 383 - 880 Hz. Network Rail standard NR/GN/SIG/50015 sets out that reed FDM remote control systems are susceptible to transverse voltages at the transmission frequency of:
- a) 112 mV, giving 22.4 mV at the reed frequencies for vital reed FDM systems; and
 - b) 63 mV, giving 37.8 mV at the reed frequencies for non-vital reed systems.

Part 3 Guidance on EMC to other CCS trackside subsystems

G3.1 General

Guidance

- G 3.1.1 The guidance given in this section relates to interference that is typically emitted from traction power converters as noise which varies continuously due to factors such as speed, position and acceleration; however it is understood that there are conditions that occur on the network which can result in transients. These transients result in electromagnetic interference with CCS trackside subsystems and can happen due to the configuration of infrastructure and electrification subsystems surrounding the rolling stock. Although this phenomenon is rare, it can result in the malfunction of CCS trackside subsystems, but is not considered in this guidance note due to a lack of current information on the subject.
- G 3.1.2 Analytical and measurement methods that have produced the limits quoted in most of the existing references and standards use electrical theory and signal theory in the frequency domain which is inherently representative of continuous, steady-state interference.
- G 3.1.3 The sources of information given as guidance in this section were typically developed to support safety assessments so that it could be demonstrated that rolling stock vehicles would not cause maloperation of CCS trackside subsystems.
- G 3.1.4 Some CCS systems, including track circuits, fail to a safe state, often referred to as a 'right-side' failure, but which can still affect the overall performance of the railway.
- G 3.1.5 CCS systems can be sensitive to EMI in out-of-band frequency ranges where susceptibility limits are unknown.
- G 3.1.6 Network Rail standard NR/GN/SIG/50014 gives additional guidance on methodologies for demonstrating compatibility with lineside equipment that is not included in this standard.
-

G3.2 Compatibility with track circuits

Guidance

- G 3.2.1 Single rail track circuits are designed for traction return currents to be passed through one of the running rails and are not fitted with an impedance bond.
- G 3.2.2 Double rail track circuits are designed for traction return currents to be passed through both running rails.
-

G3.2.1 Track circuits found on ac railways

G3.2.1.1 dc (ac immune) track circuits

Guidance

G 3.2.1.1.1 dc (ac immune) track circuits operate by applying power at one end of a section which is transmitted to the dc track relay at the other end of the section. They are used in both single and double rail configuration; however, on ac lines only single rail configurations are used. Insulated rail joints (IRJs) are located at each end of the section to electrically isolate them from the next.

G 3.2.1.1.2 For train set compatibility, RIS-0725-CCS, part 3.1, gives guidance on the accepted limits for the susceptibility of dc (ac immune) track circuits for different equipment arrangements.

G3.2.1.2 Single rail reed track circuits for use on the ac railway

Guidance

G 3.2.1.2.1 Single rail reed track circuits on the ac railway are single frequency track circuits with the operating frequencies; 363 Hz, 366 Hz, 369 Hz, 372 Hz, 375 Hz, 378 Hz, 381 Hz, 384 Hz, 408 Hz, 417 Hz and 423 Hz, typically referred to by channel numbers f211 to f221.

G 3.2.1.2.2 Single rail reed track circuits on the ac railway comprise of the following components:

- a) Track filter
- b) Electromechanical filter (reed filter)
- c) Amplifier
- d) Follower relay

G 3.2.1.2.3 For train set compatibility, RIS-0725-CCS, part 3.2, gives guidance on the accepted limits for the susceptibility of single rail reed track circuits.

G3.2.1.3 EBI 200 track circuits (ac lines)

Guidance

G 3.2.1.3.1 EBI 200 track circuits, historically referred to as TI-21 track circuits, are jointless and operate in the audio frequency band.

G 3.2.1.3.2 EBI 200 track circuits comprise of the following components:

- a) EBI 200 Transmitter
- b) EBI 200 Receiver and relay
- c) Track tuning unit
- d) Impedance bond
- e) End termination unit

G 3.2.1.3.3 For train set compatibility, RIS-0725-CCS issue 1.1, part 3.3 for ac lines, gives guidance on the accepted limits for the susceptibility of EBI 200 track circuits to harmonics of

the 50 Hz mains frequency, including how to assess train current against the susceptibility limits and track circuit centre frequencies.

- G 3.2.1.3.4 If an exceedance of one of the two frequencies that EBI 200 track circuits operate on is emitted by a vehicle then the track circuit will most likely fail in a safe 'right-side' state. However if there is a scenario where the two frequencies that a specific EBI 200 track circuit uses are emitted alternately by a vehicle, there is a risk that the track circuit will fail in an unsafe 'wrong-side' state. Such scenarios can occur as a result of frequency modulation characteristics of traction converters. Network Rail standard RT/E/C/50008 issue 1 part 6.2 gives more information on how rolling stock may interfere with EBI 200 track circuits.
-

G3.2.2 Track circuits found on dc railways

G3.2.2.1 50 Hz ac single and double rail track circuits

Guidance

- G 3.2.2.1.1 For both 50 Hz ac single and double track circuits, when no vehicle is present in the section, current flows from a power supply source through one running rail, through the operating coil of a track circuit relay with normally closed contacts and returns via the other running rail. As a train enters the track circuit boundary, the impedance of the section reduces and results in the supply track circuit relay operating coil de-energising, opening the contacts and showing the section as occupied.
- G 3.2.2.1.2 For train set compatibility, RIS-0725-CCS issue 1.1, part 4.1, gives guidance on the accepted limits for the susceptibility of 50 Hz ac single and double rail track circuits.
-

G3.2.2.2 Double rail reed track circuits

Guidance

- G 3.2.2.2.1 Double rail reed track circuits on the dc railway are single frequency track circuits with the centre frequencies; 363 Hz, 366 Hz, 369 Hz, 372 Hz, 375 Hz, 378 Hz, 381 Hz, 384 Hz, 408 Hz, 417 Hz and 423 Hz, typically referred to by channel numbers f211 to f221.
- G 3.2.2.2.2 Double rail reed track circuits on the dc railway comprise of the following components:
- a) Track filter
 - b) Power amplifier (comprising transmitter amplifier and filter)
 - c) Power supply
- G 3.2.2.2.3 For train set compatibility, RIS-0725-CCS, part 4.2, gives guidance on the accepted limits for the susceptibility of double rail reed track circuits.
-

G3.2.2.3 EBI 200 (dc lines)

Guidance

- G 3.2.2.3.1 For train set compatibility, RIS-0725-CCS, part 4.3 for dc lines, gives guidance on the accepted limits for the susceptibility of EBI 200 track circuits, historically referred to as

TI-21 track circuits, including how to assess train current against the susceptibility limits.

G3.2.2.4 FS2600 track circuits

Guidance

- G 3.2.2.4.1 FS2600 track circuits transmit a frequency shift keyed (FSK) signal through the running rails into an impedance bond that is connected to an auxiliary coil and capacitor which results in the circuit being tuned to the track circuit carrier frequency. A receiver is located at the other end of the section (both ends isolated by IRJs) which has a similar arrangement. If the receiver determines that the signal sent by the transmitter is correct, the section is considered clear but if the signal is not the correct FSK waveform or not above a determined signal threshold, the section is considered occupied.
- G 3.2.2.4.2 For train set compatibility, RIS-0725-CCS, part 4.4, gives guidance on the accepted limits for the susceptibility of FS2600 track circuits.

G3.2.3 Track circuits found on both ac and dc railways

G3.2.3.1 EBI 400 track circuits

Guidance

- G 3.2.3.1.1 EBI 400 track circuits are of a similar design to EBI 200 track circuits, and typically use the same infrastructure equipment, but have the addition of a multi-bit coded telegram on their carrier frequency to provide 'wrong-side' immunity from traction interference and 'false feed' hazards.
- G 3.2.3.1.2 For train set compatibility, RIS-0725-CCS, part 5.1, gives guidance on the accepted limits for the susceptibility of EBI 400 track circuits, including how to assess train current against the susceptibility limits.
- G 3.2.3.1.3 Failure of EBI 400 track circuits typically reduce network performance, not network safety, as due to the technology used in these types of track circuits there is no credible scenario where a wrong-side failure can occur as explained in the guidance given in RIS-0725-CCS, section 5.1.

G3.2.3.2 High voltage impulse (HVI) track circuits

Guidance

- G 3.2.3.2.1 High voltage impulse (HVI) track circuits are jointed and can be used on ac, dc or non-electrified lines. They are useful where tuned zones for jointless track circuits cannot be accommodated and for points and crossings where plain line audio frequency track circuits cannot be used.
- G 3.2.3.2.2 HVI track circuits comprise of the following components:
- a) Power supply
 - b) Transmitter

- c) Receiver
- d) Track relay

- G 3.2.3.2.3 Susceptibility criteria for compatibility with HVI track circuits cannot be expressed as a simple emission level at a particular frequency or range of frequencies due to the nature of the waveform that is used.
- G 3.2.3.2.4 RIS-0725-CCS, part 5.2, gives guidance on HVI track circuits including which train emissions should be analysed to assess compatibility with them.
-

G3.2.4 Track circuits found on non-electrified lines

Guidance

- G 3.2.4.1 Limits for rolling stock axle-to-axle voltages for compatibility with the track circuit types listed below are set out within RIS-0725-CCS:
- a) dc (non-ac immune)
 - b) Aster
 - c) Western region quick release
 - d) Lucas
 - e) Reed jointless
 - f) Overlay track circuits
 - g) Diode track circuits
 - h) Coded track circuits
 - i) 50 Hz track circuits.
- G 3.2.4.2 Network Rail standard NR/L2/SIG/50010 provides additional information on establishing EMC with these types of track circuits.
-

G3.3 Level crossing predictors

Guidance

- G 3.3.1 There are few level crossing predictors installed in GB and they are on non-electrified lines. The areas where level crossing predictors are currently installed are attached as [Appendix B](#).
- G 3.3.2 Level crossing predictors are used to automatically close level crossings by estimating the time of arrival of a vehicle. A diagram of a typical level crossing predictor is given in [Figure 8](#).




Figure 8: Level crossing predictor arrangement

- G 3.3.3 When a vehicle passes over one of termination shunts as shown in [Figure 8](#), the resulting amplitude and phase of a voltage that is generated due to a low audio frequency current injected into the running rails by a transmitter (Tx) and receiver (Rx) pair is received by the other Tx / Rx pair. This results in the equipment being able to calculate the impedance of the track section loop between the shunts. As the train moves towards the level crossing, the impedance of track section loop decreases towards zero, and then increases from zero until the train passes over the other termination shunt, at which point the level crossing is considered to be clear. The rate of change of impedance can be used to determine the speed of the train.
- G 3.3.4 Two level crossing predictor types operating in the frequency range of 85 Hz - 1 kHz are known to be in operation in GB which are:
- GETS Harmon HXP-3; and
 - WESTeX GCP 3000.
- G 3.3.5 The GETS Harmon HXP-3 level crossing predictor injects frequencies into the running rails in the range 100 - 250 Hz.
- G 3.3.6 When a train is traversing the level crossing, the Rx voltage remains at zero and the level crossing predictors cannot detect motion by measuring the impedance. To overcome this problem identified, the HXP-3 transmits randomly coded short bursts of 8.3 kHz signal between Tx1 / Tx2 and Rx1 / Rx2, as shown in [Figure 8](#), to accurately determine whether there is a train in the level crossing and when the last axle has cleared the level crossing before allowing the crossing to clear.
- G 3.3.7 The susceptibility limits for both level crossing predictor types in operation in GB are unknown and therefore comprehensive type testing is typically performed to understand compatibility between rolling stock and level crossing predictors.

G3.4 Automatic Warning System (AWS)

Guidance

- G 3.4.1 Rolling stock that produces a static, such as dc, magnetic flux density between the running rails at running rail level of more than 24×10^{-3} Tesla for a time greater than 0.01 seconds, or greater than $24 \times 10^{-6} / t^2$ Tesla, where t is seconds for times shorter than 0.01 seconds, can result in incompatibility with AWS equipment.
- G 3.4.2 RIS-0775-CCS gives guidance on AWS EMC which includes the effect dc cross-track feeder cables can have on onboard receivers and general guidance on external sources of EMI into the AWS subsystem.
-

G3.5 Train Protection and Warning System (TPWS)

Guidance

- G 3.5.1 TPWS provides the functions of a Train Stop System (TSS) and an Overspeed Sensor System (OSS). An emergency brake application will occur on a train fitted with TPWS equipment if an active TSS is passed or an OSS is passed over at excessive speed and detects the relevant arming loop first.
- G 3.5.2 The TPWS trackside system comprises of the following components:
a) Transmitter driver modules
b) Trigger and arming transmitter loops
c) Power supply and signaling interface unit
- G 3.5.3 TPWS transmits un-modulated tones from transmitter loops located in the track which are received by an antenna on the train.
- G 3.5.4 There are two types of transmitter loops installed on the GB network; standard and mini. Mini loops are typically installed on the approach to buffer stops at terminus platforms.
- G 3.5.5 The frequency range over which TPWS operates is 62.25 - 66.75 kHz. The TPWS system is susceptible to magnetic field at the train receiver, in this frequency band. See GERT8075 for threshold levels.
- G 3.5.6 The standard loop system is immune to interference above 700 Hz and the mini loop is immune to interference above 1 kHz. Susceptibility limits for frequencies up to these values are given in Network Rail standard NR/SP/SIG/50012, Figure 4.
- G 3.5.7 The cable between a transmitter driver module and both types of transmitter loops can be particularly susceptible to induced voltages; however, the cables are typically screened twisted pair type with short exposed lengths, which mitigates interference.
- G 3.5.8 RIS-0775-CCS sets out requirements and guidance for TPWS onboard subsystem receiver aerial positioning that mitigates EMI that can be caused by audio frequency track circuit systems.
-

G3.6 Axle counters

Guidance

- G 3.6.1 Axle counting sensors are mounted to the running rails at the ends of a section of track and can determine train direction and speed.
- G 3.6.2 Axle counter trackside equipment typically comprises of the following components:
- a) Evaluator unit
 - b) Electronic junction box
 - c) Rail contacts
- G 3.6.3 Limits for magnetic fields and the equivalent harmonic content of running rail current applicable to compatibility between rolling stock and axle counters of types; AzL70, AzL70-30, AzLM, AzSME and ACS2000 are defined in NR/SP/SIG/50011. This includes consideration of communication between the axle counter head and the evaluator.
- G 3.6.4 Interference limits and evaluation criteria for electromagnetic compatibility between rolling stock and axle counter detectors compliant with BS EN 50617-2:2015 are defined within PD CLC/TS 50238-3:2022, which is used in conjunction with BS EN 50238-1:2019.
- G 3.6.5 ERA ERTMS 033281 v5.0, clause 3.2.1.4, permits presumption of conformity to the requirement if a system is assessed against BS EN 50592:2016. If the limits of ERA ERTMS 033281 v5.0, clause 3.2.1.4, are not met then individual assessment of electromagnetic compatibility with each axle counter type on a route is performed.
-

G3.7 Lineside equipment

Guidance

- G 3.7.1 The ERTMS Eurobalise operates at:
- a) 27 MHz between the train and transponder; and
 - b) 4.5 MHz from the transponder to the train.
- G 3.7.2 CCS NTSN Subset-036, the "Form Fit Function Interface Specification" for Eurobalise, requires Eurobalises to comply with tables 1 and 2 of EN 50121-4. The susceptibility of the system at its operating frequencies is not defined.
-

G3.8 Route relay and solid state interlocking

Guidance

- G 3.8.1 Route relay interlocking (RRI) is the setting and releasing of routes and the safe control of signals, points and other items of trackside equipment by using dc relay technology. The system consists of discrete relays (free-wired interlocking) or ready-made standard units with additional discrete relays (geographical interlocking). The relays are miniature dc active armature types.
- G 3.8.2 Solid state interlocking (SSI) is based on the use of programmable solid-state electronics (microprocessors) to carry out the setting and releasing of routes and the
-

Guidance Note on Rolling Stock Electromagnetic Compatibility with Trackside CCS Subsystems

Rail Industry Guidance
Note
GMGN2694
Issue: One Draft: 1k
Date: September 2024

safe control of signals, points and other items of trackside equipment. Redundancy techniques are used to enable safe operation. The interlocking is controlled by software which interprets geographic data specific to a particular installation. Both software and data are subject to a rigorous validation process to control the risk of systematic errors.

- G 3.8.3 Voltage spikes can occur between the running rails and earth on the GB 25 kV ac mainline railway when a spark occurs between the pantograph and OCL. The magnitude and duration of a spike both increase with increasing pantograph to body capacitance and with increasing rail-earth impedance.
 - G 3.8.4 The voltage spikes appearing on the rails are transferred directly to SSI equipment via track circuit tail cables. These voltage spikes have very steep leading edges and can be transferred into trackside functional modules (TFMs) directly through electrical breakdown within the relays, or indirectly via parasitic capacitance or earth connections.
 - G 3.8.5 A reference system approach where a pantograph to body capacitance that is no greater than that on existing traction units can be used to demonstrate compatibility with interlocking systems.
 - G 3.8.6 Frequencies greater than 10 kHz at 20 V peak-to-peak measured longitudinally on a cable can result in telegram reception problems at both interlocking and trackside and can also cause over-transmissions where data link module (DLM) repeaters are involved.
 - G 3.8.7 Network Rail standard NR/GN/SIG/50013 gives more information on electromagnetic compatibility with RRI and SSI.
-

Appendices

Appendix A Psophometric weighting curve

A.1 General

Guidance

- G A.1.1 Psophometric weighting is used in measuring noise on telecoms circuits and is the application of a type of frequency selective filter that has high gain in the mid-range frequencies and low gain in the low and high range frequencies, resulting in the amplification of potentially problematic voltages which may otherwise not be heard. The international telecommunications union (ITU) specification ITU-T O.41 contains further information on the application of psophometric weighting to telecoms circuits in general.
- G A.1.2 The values given in [Table 5](#) and [Figure 9](#) were established based on those set out in ITU specification ITU-T O.41 but converted to have a unitless weighting factor, where the ITU specification sets out the relative weight at each frequency in decibels and includes a tolerance for each.

Frequency (Hz)	Weighting factor (unitless)
50	0.00071
100	0.00891
200	0.08910
300	0.29499
400	0.48399
500	0.66100
550	0.72748
600	0.79398
700	0.89843
800	1.00000
900	1.06265
1000	1.12199
1200	1.00000
1400	0.90178
1600	0.82399
1800	0.76056
2000	0.70801
2500	0.61699

Guidance Note on Rolling Stock Electromagnetic Compatibility with Trackside CCS Subsystems

Rail Industry Guidance
Note
GMGN2694
Issue: One Draft: 1k
Date: September 2024

Frequency (Hz)	Weighting factor (unitless)
3000	0.52498
3500	0.37599
4000	0.17799
4500	0.04974
5000	0.01590
5500	0.01590
6000	0.01590

Table 5: Psophometric weighting curve values




Figure 9: Graphical representation of the psophometric weighting curve

Appendix B Level crossing predictor locations

B.1 General

Guidance

G B.1.1 The following location information is based on known Network Rail data on the installations of WESTeX GCP 3000 and GETS Harmon HXP-3 level crossing predictors as referred to in Network Rail document reference number EMC-SC-TA-NR_GCP3000_HXP3_01_2023-01-06 (not an exclusive list and there may be installation elsewhere on the network):

a) WESTeX GCP 3000 level crossing predictors:

- Several in the Lincoln delivery unit area
- Several in the Drax area, Yorkshire
- Kirby - Muxloe (East Midlands Route)

a) GETS Harmon HXP-3 level crossing predictors:

- Bedford - Bletchley (Marston Vale Line)
 - Melton Constable - Cromer (Cromer Line)
 - Thorpe Road Level Crossing (Line of Route LN888, Engineers Line Reference CJS0)
-

Guidance Note on Rolling Stock Electromagnetic Compatibility with Trackside CCS Subsystems

Rail Industry Guidance
Note
GMGN2694
Issue: One Draft: 1k
Date: September 2024

Definitions

affected system	The system which is affected by electromagnetic interference
analogue (signal)	Signal in which characteristic quantity representing information can at any instant assume any value within a continuous interval. Source: <i>IEV 702-04-02</i>
cable	An insulated current carrying conductor or conductors.
capacitive coupling	Coupling between electric circuit elements, by which a voltage between the terminals of one of them gives rise to an electric charge in another element. Source: <i>IEV 131-12-31</i>
conductive coupling	Phenomenon whereby a part of the current of a power system returns to the system earth via the conductors of another system. Source: <i>IEV 614-04-02</i>
conductor rail	Rigid metallic conductor mounted on insulators intended to interface with a vehicle mounted current collector. Source: <i>BS EN 50122-1:2022</i>
digital (signal)	A discretely timed signal in which information is represented by a finite number of well defined discrete values that one of its characteristic quantities may take in time. Source: <i>IEV 702-04-05</i>
electric traction supply system	Railway electric distribution network used to provide energy for rolling stock. Source: <i>BS EN 50388-1:2022</i>
electromagnetic compatibility (EMC)	The ability of equipment or a system to function satisfactorily in its electromagnetic environment without introducing intolerable electromagnetic disturbances to anything in that environment.
electromagnetic interference (EMI)	Degradation in the performance of equipment or transmission channel or a system caused by an electromagnetic disturbance. Source: <i>IEV 161-01-06</i>
electromagnetic susceptibility	The inability of a device, equipment or system to perform without degradation in the presence of an electromagnetic disturbance. Source: <i>IEV 161-01-21</i>
extended return circuit	Part of the electric traction power supply system which is not live, which leads the current back from loads such as vehicles or other equipment to the source. Source: <i>BS EN 50122-1:2022</i>
finite element method magnetics (femm)	An open-source software that can simulate electromagnetic and electrostatic problems
frequency selective system	A system that is sensitive, and responds, to different frequencies [in contrast to one which functions over a broad frequency range such as for voice communication]
frequency shift keying	Angle modulation in which each significant condition of a modulating discretely timed signal is represented by one of a specified set of discrete values of the frequency of the modulated signal. Source: <i>IEV 702-06-47</i>

harmonic frequency	Frequency which is an integer multiple greater than one of the fundamental frequency or of the reference fundamental frequency. Source: <i>IEV 551-20-05</i>
inductive coupling	Coupling between electric circuit elements, by which an electric current in one of them gives rise to a total flux ψ_{AB} between the terminals of another element. Source: <i>IEV 131-12-33</i>
infrastructure manager (IM)	Has the meaning given to it in the Railways and Other Guided Transport Systems (Safety) Regulations 2006 (as amended), but is limited to those infrastructure managers who hold a safety authorisation issued in respect of the mainline railway. Source: <i>ROGS</i>
interference current	Current caused on the affected system by electromagnetic coupling with a nearby source system between a given point and the earth or across an insulating joint
interference source	Equivalent to traction unit which is fed from its own power supply interface point (pantograph or shoe gear) . Source: <i>PD CLC/TS 50238-2:2020</i>
interference voltage	Voltage caused on the affected system by electromagnetic coupling with the nearby source system between a given point and the earth or across an insulating joint
line current	The current drawn by a train from the traction supply and returned from the train into the rails. Where current is returned to the rails at more than one point, this is the vector sum of current from all return points within the train.
magnetic flux	Scalar quantity equal to the flux of the magnetic flux density B through a given directed surface
neighbouring railway	A railway network operating adjacent to the GB mainline, for example, London Transport
overhead contact line (OCL)	Contact line placed above (or beside) the upper limit of the rail vehicle gauge and supplying vehicles with electric energy through roof-mounted current collection equipment. Sources: <i>IEV 811-33-02, ENE NTSN</i>

Note: Where this includes, in addition to all current-collecting conductors, the following elements:
reinforcing feeders; cross-track feeders; disconnectors;
section insulators; overvoltage protection devices;
supports that are not insulated from the conductors;
insulators connected to live parts; along-track feeders;
conductors connected permanently to the contact line
for supply of other electrical equipment; earth wires
and return conductors.

Guidance Note on Rolling Stock Electromagnetic Compatibility with Trackside CCS Subsystems

Rail Industry Guidance
Note
GMGN2694
Issue: One Draft: 1k
Date: September 2024

psophometric noise	Electronic circuit noise relating to analogue telecommunications equipment where its presence in the output of power supplies can significantly impair audio transmission quality.
psophometric weighting	A noise weighting established by the International Consultative Committee for Telephony (CCIF, which became CCITT and, more recently, ITU-T), designated as CCIF-1951 weighting, for use in a noise measuring set or psophometer. Source: <i>Telecommunications Industry Association Glossary of Telecommunications Terms</i>
radiated disturbance	Electromagnetic disturbance for which the energy is transferred through space in the form of electromagnetic waves. Source: <i>IEV 161-03-21</i>
return circuit	All conductors which form the intended path for the traction return current. Note: Therefore, so far as this aspect is concerned, the return circuit is part of the energy subsystem and has an interface with the infrastructure subsystem. Source: <i>ENE NTSN</i>
return conductor rail	Conductor rail used instead of the running rails for the traction return currents. Source: <i>BS EN 50122-1:2022</i>
rolling stock	All vehicles with or without motors. Source: <i>BS EN 50388-1:2022</i>
sources	Any interference source which can generate harmonics independently. Source: <i>PD CLC/TS 50238-2:2020</i>
telegram	A series of positive and negative voltages with varying peaks and troughs which look like a square shaped waveform on an oscilloscope. A telegram is a binary transmission of an analogous output from a system and is typically used in conjunction with coding techniques, such as Manchester Coding, a type of Binary Phase Shift Keying (BPSK). This results in a signal either being a '0' or '1' value with no exception as a result of tolerances applies to the analogous signal, for example a '1' value being attributed to any signal over a given threshold.
track circuit (TC)	A type of train detection system that detects the presence or absence of a rail vehicle within a defined section of track, by means of the electrical circuit created between the running rails by one or more wheelsets.
track return system	System in which the running rails of the track form a part of the return circuit for the traction current. Source: <i>BS EN 50122-1:2022</i>
traction power supply system	Part of the overall electricity energy supply system, not extending beyond the dedicated feeder stations on the rail network. Source: <i>BS EN 50238-1:2019</i>

traction power unit	The unit on the train housing the converter/inverter equipment and its associated control to drive the propulsion system. It is also known as the motor car. Source: <i>PD CLC/TS 50238-2:2020</i>
traction stock	Electric and diesel locomotive, high speed trainset, elementary fixed combination of traction stock and hauled stock, electric and diesel multiple unit (no locomotive, distributed traction equipment), Light Railway Vehicle (LRV) such as tram, trolley bus or any other electrical vehicle for urban mass transit, underground trainset Source: <i>BS EN 50121-3-1:2017+A1:2019</i>
traction subsystem	Any subset of the Traction Unit which produces traction force or electric brake force. Source: <i>PD CLC/TS 50238-2:2020</i>
traction unit	Locomotive, motor coach or train-unit. Source: <i>BS EN 50388-1:2022</i>
train detection system	Equipment and systems forming part of, or providing input to, the signalling systems to detect, either: • The presence or absence of vehicles within the limits of a track section • That a train has reached, is passing, or has passed a specific position.
train set	Combination of vehicles coupled together, including banking locomotives. Source: <i>BS EN 50388-1:2022</i>
train under test	The influencing unit used for the test measurements. Source: <i>PD CLC/TS 50238-2:2020</i>
transfer function	Ratio of the complex quantity representing a time-varying quantity in terms of complex frequency at the output of a linear time-invariant two-port, to the complex quantity representing the corresponding input quantity, the two complex quantities being defined in the same manner Note: The complex quantities are generally the Laplace transforms of the time-varying quantities. In this case, the transfer function is the Laplace transform of the impulse response, and the term "fonction de transfert isomorphe" is used in French. Source: <i>IEV 131-15-20</i>
transient	Pertaining to or designating a phenomenon or a quantity which varies between two consecutive steady states during a time interval short compared with the time-scale of interest. Source: <i>IEV 702-07-78</i>
transverse voltage	The difference in voltage magnitude and phase across two adjacent cables
vehicle	An individual vehicle or car of any train formation.
wire	Flexible cylindrical conductor, with or without an insulating covering, the length of which is large with respect to its cross-sectional dimensions. Source: <i>IEV 151-12-28</i>

Guidance Note on Rolling Stock Electromagnetic Compatibility with Trackside CCS Subsystems

Rail Industry Guidance
Note
GMGN2694
Issue: One Draft: 1k
Date: September 2024

References

The Standards catalogue gives the current issue number and status of documents published by RSSB: <http://www.rssb.co.uk/standards-catalogue>.

RGSC 01	Railway Group Standards Code
RGSC 02	Standards Manual

Documents referenced in the text

RSSB documents

GLRT1212	DC Conductor Rail Energy Subsystem and Interfaces to Rolling Stock Subsystem
GLRT1210	AC Energy Subsystem and Interfaces to Rolling Stock Subsystem
RIS-0725-CCS	Electromagnetic Compatibility of Train Detection Infrastructure with Rail Vehicles

Other references

BS EN 50121-3-1:2017+A1:2019	Railway applications. Electromagnetic compatibility - Rolling stock. Train and complete vehicle
BS EN 50238-1:2019	Railway applications. Compatibility between rolling stock and train detection systems - General
BS EN 50592:2016	Railway applications. Testing of rolling stock for electromagnetic compatibility with axle counters
BS EN 50617-2:2015	Railway Applications. Technical parameters of train detection systems for the interoperability of the trans-European railway system - Axle counters
Command Control and Signalling National Technical Specification Notice (CCS NTSN)	Command Control and Signalling National Technical Specification Notice (CCS NTSN). Published by the Secretary of State on 1 January 2021 pursuant to regulation 3B of the Railways (Interoperability) Regulations 2011. This Notice replaces and substantially reproduces the provisions of Commission Regulation (EU) 2016/919 of 27 May 2016 (the CCS TSI) and includes relevant amendments made by Commission Implementing Regulation (EU) 2019/776 which came into force in June 2019.
EN 50121-4	Railway applications. Electromagnetic compatibility - Emission and immunity of the signalling and telecommunications apparatus
ERA ERTMS 033281 v5.0	Interfaces between control-command and signalling trackside and other subsystems
Infrastructure National Technical Specification Notice (INF NTSN)	Infrastructure National Technical Specification Notice (INF NTSN). Published by the Secretary of State on 1 January 2021 pursuant to regulation 3B of the Railways (Interoperability) Regulations 2011. This NTSN replaces and substantially reproduces the provisions of

Commission Regulation (EU) 1299/2014 of 18 November 2014 (the INF TSI) and includes relevant amendments made by Commission Implementing Regulation (EU) 2019/776 which came into force in June 2019.

ITU-T O.41	Specifications for measuring equipment. Equipment for the measurement of analogue parameters. Psophometer for use on telephone-type circuits.
NR/GN/SIG/50008	Methodology for the Demonstration of Compatibility with TI 21 Track Circuits
NR/GN/SIG/50013	Methodology for the demonstration of compatibility with route relay and solid state interlockings
NR/GN/SIG/50015	Methodology for the demonstration of electrical compatibility with reed FDM systems on the AC and DC railways
NR/L2/SIG/50004	Methodology for the Demonstration of Electrical Compatibility with DC (AC Immune) Track Circuits
NR/L2/SIG/50010	Methodology for the Demonstration of Electrical Compatibility with Train Detection Systems in Use on Non-electrified Lines
NR/SP/SIG/50011	Methodology for the demonstration of compatibility with axle counters
NR/SP/SIG/50012	Methodology for the Demonstration of Compatibility with TPWS Track Sub-system
PD CLC/TS 50238-2:2022	Railway applications. Compatibility between rolling stock and train detection systems - Compatibility with track circuits
RT/E/C/50008	Methodology for the demonstration of compatibility with TI 21 track circuits

Other relevant documents

EMC-SC-TA- NR_GCP3000_HXP3 _01_2023-01-06	Summary Notes - Installations of GCP 3000 and HXP3 Level Crossing Predictors
IEC 60050-131:2004/ AMD4:2021	Amendment 4 - International Electrotechnical Vocabulary (IEV) - Part 131: Circuit theory
IEC 60050-151:2001/ AMD5:2021	Amendment 5 - International Electrotechnical Vocabulary (IEV) - Part 151: Electrical and magnetic devices
IEC 60050-161:1990/ AMD10:2021	Amendment 10 - International Electrotechnical Vocabulary (IEV) - Part 161: Electromagnetic compatibility
IEC 60050-551-20:2001/ AMD1:2017	Amendment 1 - International Electrotechnical Vocabulary (IEV) - Part 551-20: Power electronics - Harmonic analysis
IEC 60050-614:2016	International Electrotechnical Vocabulary (IEV) - Part 614: Generation, transmission and distribution of electricity - Operation

Guidance Note on Rolling Stock Electromagnetic Compatibility with Trackside CCS Subsystems

Rail Industry Guidance
Note
GMGN2694
Issue: One Draft: 1k
Date: September 2024

IEC 60050-702:1992/
AMD6:2021

Amendment 6 - International Electrotechnical Vocabulary (IEV) -
Part 702: Oscillations, signals and related devices